

FOOT PROTECTION



- Technical Data Information
- Safety Shoes
- Safety Boots
- Canvas Shoes
- Safety Cap Overshoes
- Cushion Sock & Shoe Care Products

How to choose the right size Safety Shoes

1. The user should try safety shoes during the hours of 13.00-16.00 pm, since the feet will swell the most around this time.
2. The user should buy a slightly larger size than normal shoes, to avoid calluses, ingrowing toenails or simply tired feet.



Shoe Care Tips

1. After wearing safety shoes Pangolin suggest the user to stuff newspaper into the shoes. Newspaper contains a source of activated carbon that can absorb odour and humidity.
2. If working in the sun or walking the whole day, Pangolin suggest the users to have a spare pair of Safety Shoes. In this case, the user can use one pair in 2 days and switch to other one and then dry the first in the sunlight.
3. Perspiration: Pangolin suggest to change into fresh socks each day.
4. After each daily use the wearer should remove the sock, clean and dry in good ventilation.
5. Extend the lifetime of safety shoes by cleaning and maintaining correctly



Foot
Protection

Type of Leather



Tango



Nimbus



Oil Nubuck



Full Grain



Sizzler








Nubuck



Haircell

Safety Shoes Specification

Specification			PU	Rubber	Cementing
Leather	Types	TIS 523-2554	Oil Nubuck, Nubuck, Nimbus Haircell, Fullgrain, Sizzler		
	Thickness	>1.8 mm.	 2.0-2.2 mm.	 2.0-2.2 mm.	 2.0-2.2 mm.
Steel Toe Cap	Impact	200 joules	 200 joules	 200 joules	 200 joules
Sole	Oil+Chemical Resistance	Shrink <0.5% Swell <12%	 Shrink <0.5% Swell <2%	 Shrink <0.5% Swell <12%	 Shrink <0.5% Swell <12%
	Heat * Resistance	-	 160°	 350°	 350°
	Slip Resistance	-			
	Insulating	$>10^9 \Omega$	 $\geq 10^8-10^9 \Omega$	 $\geq 10^8-10^9 \Omega$	 $\geq 10^8-10^9 \Omega$
	Anti-Static	$10^5-10 \Omega$	 Optional	-	-
	Electro Static Discharge	$< 3.5 \times 10^7 \Omega$	 Optional	-	-
Steel Midsole or Non-Metal	Penetration Resistance	$\geq 1,100$ newtons	 $\geq 1,100$ newtons	 $\geq 1,100$ newtons	 $\geq 1,100$ newtons
Applications			Suitable for Oil, Chemical, Maintenance, Petro Chemical, Automobile, Food, Drug and Electronics Industries	Suitable for Heavy Industry, Steel and Metal, Automobile, Glass, Mining, Welding and cutting Industries	Suitable for Automobile, Food and Drug Industries.

Type of Outsole

outsole	Design				
PU	 New Collection Harrier (PU)	 Harrier, Soft Plus, Safety Plus, Sport (PU)	 Standard (PU)	 Lady (PU)	
RUBBER	 Soft Plus (R)	 Safety Plus (R)	 Standard (R)		
CEMENTING	 Lady Exclusive	 Lady Sizzler	 Lady Standard	 Sport	 Safelight, Hospitality

Component of Safety Shoes

Pictogram of Safety Shoes, according to European Standard EN ISO 20345: 2004 and Thai Industrial Standard TIS 523-2554



SYMBOL OF SAFETY SHOES



STEEL TOECAPS IMPACT 200 JOULES

Steel toecaps has the qualification of impact resistance of 200 joules.



OIL AND CHEMICAL RESISTANT OUTSOLE

The sole has the qualification of oil and chemical resistance.



ANTI-SLIP OUTSOLE

The sole has the qualification of slip resistance.



INSULATING SHOES

The sole has the qualification of Insulating properties. Meet TIS. Standard



STAINLESS STEEL MIDSOLE PIERCE

RESISTANCE 1,100 newtons

Stainless steel midsole provides penetration resistance to 1,100 newtons. (Made to order)



OUTSOLE RESISTANCE TO HEAT CONTACT

The sole has the qualification of heat resistance
160 °C for PU Outsole
350 °C for Rubber & Cementing Outsole



BREATHABLE LEATHER UPPERS

Shoes provide breathability.



ANTI-STATIC SHOES

The sole has the qualification of Anti-Static properties



ELECTROSTATIC DISCHARGE SHOES

The sole has the qualification of Electrostatic Dissipative properties

EN ISO20345

SB

Basic safety footwear meets the minimum standard requirements with 200 joule safety toe cap

S1

Safety footwear meets the standard requirements with 200 joule safety toe cap. Plus:

- Antistatic properties,
- Energy absorption around heel

S2

Safety footwear meets the standard requirements with 200 joule safety toe cap. Plus:

- Antistatic properties,
- Energy absorption around heel
- Water penetration and water absorption resistance

S3

Safety footwear meets the standard requirements with 200 joule safety toe cap. Plus:

- Antistatic properties,
- Energy absorption around heel
- Water penetration and water absorption resistance
- Penetration resistance
- Cleated outsole

S4

All rubber or all apolymeric footwear meets the standard requirements with 200 joule safety toe cap. Plus:

- Antistatic properties
- Energy absorption around heel

S5

All rubber or all apolymeric footwear meets the standard requirements with 200 joule safety toe cap. Plus:

- Antistatic properties
- Energy absorption around heel
- Penetration resistance
- Cleated outsole

Safety Shoes Size

MEN

Pangolin Size (UK)	3	4	5	6	7	8	9	10	11	12	13
US	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	-	-
EUROPE	37	38	39	40	41	42	43	44	45	46	47

WOMEN

Pangolin Size (US)	3	4	5	6	7	8	9	10	-	-	-
UK	-	2.5	3.5	4.5	5.5	6.5	7.5	8.5	-	-	-

Specification:

Toe Cap

- Special steel toe cap, a force of 200 Joules, EN12568 standard, protects the foot from falling objects.
- Composite toe cap, no rust from water or moisture

Inner

- Non Woven Lining seals with PU sock: a special design to relieve shock-absorption from standing or walking on hard surfaces and can be removed for cleaning.
- Collar Padding Lining (Cushion Padding) provides comfort when moving.



Upper

- Genuine Leather thickness 2.0-2.2 mm., durable, long life, thicker than TIS standard requirement 1.8-2.0 mm.
- Comfortable

Outsole

- PU (Polyurethane) Sole gives light weight, durability and resistance to chemicals, oils and 160 °C heat.
- Nitrile Rubber Sole allows resistance to oil, chemical, slip and 350 °C heat.
- Direct Injection provides a permanent shape to the leather upper.
- Steel Midsole & Non-Metal addition, EN12568 standard, provides pierce resistance.

New Collection Harrier (PU)

Oil Nubuck
Mid Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0386UZGZ With Steel Midsole	Oil Nubuck Mid Cut Shoes / PU	4-12	Black	1 Pair	1 Pair



TIS.523-2554

Oil Nubuck
Low Cut Shoes

Code	Description	Size	Color	UOM	Package
0381UZGZ With Steel Midsole	Oil Nubuck Low Cut Shoes / PU	4-12	Black	1 Pair	1 Pair



TIS.523-2554

Oil Nubuck
Mid Cut Shoes

Code	Description	Size	Color	UOM	Package
0382UZGZ With Steel Midsole	Oil Nubuck Mid Cut Shoes / PU	4-12	Black	1 Pair	1 Pair



TIS.523-2554

Sizzler
Mid Cut Shoes



Code	Description	Size	Color	UOM	Package
0387UZGZ With Steel Midsole	Sizzler Mid Cut Shoes / PU	4-12	Brown	1 Pair	1 Pair



TIS.523-2554

Nubuck
Mid Cut Shoes



Code	Description	Size	Color	UOM	Package
0389UZGZ With Steel Midsole	Nubuck Mid Cut Shoes / PU	4-12	Tan	1 Pair	1 Pair

Harrier (PU)



TIS.523-2554

Oil Nubuck
Mid Cut Shoes



0282UZGZ

Code	Description	Size	Color	UOM	Package
0282UZZZ	Oil Nubuck Mid Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair
0282UZGZ With Steel Midsole	Oil Nubuck Mid Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair



TIS.523-2554

Oil Nubuck
Mid Cut Shoes



0283UZGZ

Code	Description	Size	Color	UOM	Package
0283UZZZ	Oil Nubuck Mid Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair
0283UZGZ With Steel Midsole	Oil Nubuck Mid Cut Shoes / PU	4-12	Black: Brown*	1 Pair	1 Pair



TIS.523-2554

Oil Nubuck
Velcro Mid Cut Shoes



0284UZGZ

Code	Description	Size	Color	UOM	Package
0284UZZZ	Oil Nubuck Velcro Mid Cut	4-12	Black: Brown:	1 Pair	1 Pair
0284UZGZ With Steel Midsole	Oil Nubuck Velcro Mid Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair



TIS.523-2554

Oil Nubuck
Low Cut Shoes



0285UZGZ

Code	Description	Size	Color	UOM	Package
0285UZZZ	Oil Nubuck Low Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair
0285UZGZ With Steel Midsole	Oil Nubuck Low Cut Shoes / PU	4-12	Black: Brown:	1 Pair	1 Pair

Soft Plus (PU)



Tango Low Cut Shoes

TIS.523-2554



0201UZGZ

Code	Description	Size	Color	UOM	Package
0201UZZZ	Tango Low Cut Shoes / PU	4-12	Black + Brown	1 Pair	1 Pair
0201UZGZ	Tango Low Cut Shoes / PU With Steel Midsole	4-12	Black * Brown :	1 Pair	1 Pair

Tango Mid Cut Shoes

TIS.523-2554



0202UZGZ

Code	Description	Size	Color	UOM	Package
0202UZZZ	Tango Mid Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair
0202UZGZ	Tango Mid Cut Shoes / PU With Steel Midsole	4-12	Black *	1 Pair	1 Pair



Tango Mid Cut Shoes

TIS.523-2554



0203UZGZ

Code	Description	Size	Color	UOM	Package
0203UZZZ	Tango Mid Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair
0203UZGZ	Tango Mid Cut Shoes / PU With Steel Midsole	4-12	Black * Brown *	1 Pair	1 Pair

Tango Hi Boots

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0204UZZZ	Tango Hi Boots / PU	4-12	Black * Brown :	1 Pair	1 Pair





Tango Low Cut Shoes

TIS.523-2554



0208UZGZ

Code	Description	Size	Color	UOM	Package
0208UZZZ	Tango Low Cut Shoes / PU	4-12	Black * Brown :	1 Pair	1 Pair
0208UZGZ	Tango Low Cut Shoes / PU With Steel Midsole	4-12	Black : Brown	1 Pair	1 Pair



Tango Mid Cut Shoes

TIS.523-2554



0209UZGZ

Code	Description	Size	Color	UOM	Package
0209UZZZ	Tango Mid Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair
0209UZGZ	Tango Mid Cut Shoes / PU With Steel Midsole	4-12	Black	1 Pair	1 Pair

Soft Plus (R)



Tango Hi-Boots

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0204RZZZ	Tango Hi-Boots / Rubber	4-12	Black	1 Pair	1 Pair



Safety Plus (PU)



Low Cut Shoes



TIS.523-2554

9501UZZS

Code	Description	Size	Color	UOM	Package
9501UZZZ	Barton Low Cut Shoes / PU	4-12	Black +	1 Pair	1 Pair



Mid Cut Shoes



TIS.523-2554

Code	Description	Size	Color	UOM	Package
9504UZZZ	Barton Mid Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair



Open Back Shoes



TIS.523-2554

Code	Description	Size	Color	UOM	Package
9516UZZZ	Barton Open Back Shoes / PU	4-12	Black :	1 Pair	1 Pair

PU Sole Quality and Maintenance

PU injected soles may degrade after some time. (Pangolin's recommended shelf life is 18 months). However, with normal use and regular maintenance a PU sole can last as long as 3 years.

Safety Plus (R)



TIS.523-2554

Low Cut Shoes



Code	Description	Size	Color	UOM	Package
9501RZZZ	Barton Low Cut Shoes / Rubber	4-12	Black +	1 Pair	1 Pair



TIS.523-2554

Mid Cut Shoes



Code	Description	Size	Color	UOM	Package
9503RZZZ	Barton Low Cut Shoes / Rubber	4-12	Black *	1 Pair	1 Pair



TIS.523-2554

Hi - Boots



Code	Description	Size	Color	UOM	Package
9507RZZZ	Barton Hi-Boots / Rubber	4-12	Black *	1 Pair	1 Pair



TIS.523-2554

Mid Cut Shoes



Code	Description	Size	Color	UOM	Package
9504RZZZ	Barton Mid cut shoes / Rubber	4-12	Black *	1 Pair	1 Pair



Standard (PU)



Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0026UZZZ	Barton Low Cut Shoes / PU	4-12	Black +	1 Pair	1 Pair



Mid Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0027UZZZ	Barton Mid Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair



Hi - Boots

TIS.523-2554



Code	Description	Size	Color	UOM	Package
9507UZZZ	Barton Hi-Boots / PU	4-12	Black * Brown	1 Pair	1 Pair

Standard (R)



Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0026RZZZ	Barton Low Cut Shoes / Rubber	4-12	Black +	1 Pair	1 Pair



Mid Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
0027RZZZ	Barton Mid Cut Shoes / Rubber	4-12	Black *	1 Pair	1 Pair



Zipper Mid Boots

TIS.523-2554



Code	Description	Size	Color	UOM	Package
008RZZZ	Barton Zipper Mid Boots / Rubber	4-12	Black *	1 Pair	1 Pair

Sport (PU)



TIS.523-2554

Oil Nubuck Low Cut Shoes



Code	Description	Size	Color	UOM	Package
2010UZZZ	Oil Nubuck Low Cut Shoes / PU	4-12	Brown :	1 Pair	1 Pair



TIS.523-2554

Haircell Velcro Low Cut Shoes



Code	Description	Size	Color	UOM	Package
2012UZZZ	Haircell Velcro Low Cut Shoes / PU	4-12	Black :	1 Pair	1 Pair



TIS.523-2554

Tango Low Cut Shoes



Code	Description	Size	Color	UOM	Package
2010UTZS	Tango Low Cut Shoes / PU	4-12	Black *	1 Pair	1 Pair

Sport (Cementing)



TIS.523-2554

Full Grain Low Cut Shoes



Code	Description	Size	Color	UOM	Package
2012CZZZ	Full Grain Low Cut Shoes / Cementing	4-12	White *	1 Pair	1 Pair



TIS.523-2554

Full Grain Low Cut Shoes



Code	Description	Size	Color	UOM	Package
2001CZZZ	Full Grain Low Cut Shoes / Cementing	4-12	White *	1 Pair	1 Pair

Hospitality (PU)



TIS.523-2554

Barton Velcro Low Cut Shoes



Code	Description	Size	Color	UOM	Package
616UZZZ	Barton Velcro Low Cut Shoes / PU	4-12	Black :	1 Pair	1 Pair



Hospitality (Cementing)



Full Grain Velcro Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
616CZZZ	Full Grain Velcro Low Cut Shoes / Cementing	4-12	Black : White *	1 Pair	1 Pair



Full Grain Slip on Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
618CZZZ	Full Grain Slip on Shoes / Cementing	4-12	Black : White :	1 Pair	1 Pair



Lady Sizzler (Cementing)



Sizzler Ladies Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
651CZZZ	Sizzler Ladies Low Cut Shoes / Cementing	3-10	Brown *	1 Pair	1 Pair



Sizzler Ladies Mid Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
654CZZZ	Sizzler Ladies Mid Cut Shoes / Cementing	3-10	Brown :	1 Pair	1 Pair

Lady Standard (Cementing)



Barton Ladies Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
641CEZZ	Barton Ladies Low Cut Shoes / Cementing	3-10	Black +	1 Pair	1 Pair



Tango Ladies Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
645CTZZ	Tango Ladies Low Cut Shoes / Cementing	3-10	Black :	1 Pair	1 Pair

Lady Exclusive (Cementing)



Oil Nubuck Ladies Low Cut Shoes

TIS.523-2554

Tango Ladies Low Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
8562CZZZ	Oil Nubuck Ladies Low Cut Shoes / Cementing	4-10	Black	1 Pair	1 Pair

Code	Description	Size	Color	UOM	Package
8562CTZZ	Tango Ladies Low Cut Shoes / Cementing	4-10	Black :	1 Pair	1 Pair



Tango Ladies Low Cut Shoes

TIS.523-2554


Tango Ladies Mid Cut Shoes

TIS.523-2554



Code	Description	Size	Color	UOM	Package
8562UTZZ	Tango Ladies Low Cut Shoes / Cementing	4-10	Black	1 Pair	1 Pair

Code	Description	Size	Color	UOM	Package
8563UTGZ	Tango Ladies Mid Cut Shoes / Cementing With Steel Midsole	3-10	Black	1 Pair	1 Pair



Foot Protection

Boots



14 Inch PVC Boots

- PVC material, Durable, work in water, liquid and chemicals
- Height 14 inches, protects both feet and shins
- Can be supplied with or without steel toe cap

Code	Description	Size	Color	UOM	Package
BOOT0016	14 INCH PVC BOOTS	5, 7, 9, 11	Black +	1 pair	1 pair
BOOT0017	14 INCH PVC BOOTS With steel toe cap	5,7,9,11,13	Black +	1 pair	1 pair
BOOT0018	14 INCH PVC BOOTS	5, 7, 9, 11	White +	1 pair	1 pair
BOOT0019	14 INCH PVC BOOTS With steel toe cap	5,7,9,11,13	White +	1 pair	1 pair

PVC / Nitrile Steel – Toe Capped Boots

EN 20345 (S5)

- PVC / Nitrile Rubber material, work in oil, chemicals (acid-alkaline from vegetable and animals)
- Anti-Static
- Slip resistant

Code	Description	Size	Color	UOM	Package
BOOT00012	PVC/Nitrile Boots	40-44	Black	1 Pair	1 Pair



Electric Protective Rubber Boots

EN ISO20345

- Vulcanized rubber material, protects up to 37,000 V
- Polyester Lining
- Light weight
- Oil and chemical resistant
- Anti-slip
- Steel toe cap
- Suitable for most electrical work

Code	Description	Size	Color	UOM	Package
BOOT0024	Electric Protective Rubber Boots Harvik 37000 V	39-44	Yellow-Green	1 Pair	1 Pair

PVC / Nitrile Steel – Toe Capped Boots

EN20345:2011.
SB.A.FO.SRA

- PVC / Nitrile Rubber materials, work in oil, chemicals (acid-alkaline from vegetable and animals)
- Anti-Static
- Slip resistant
- Easy to clean
- Suitable for food and pharmaceutical industries

Code	Description	Size	Color	UOM	Package
BOOT00015	PVC/Nitrile Boots	39-48	White	1 Pair	1 Pair

Canvas Shoes

Specification

- 2 mm. Sponge lining, durable and colourfast
- Sock is covered with 2 fabrics that can be taken off for cleaning
- PVC injected sole
- Peel away protection if standing for a long time.
- PVC provides anti-slip, oil resistance and heat resistance +70 °C



Canvas Shoes With Shoelace

Code	Description	Size	Color	UOM	Package
CNVS0005	Male canvas shoes #406	33-45	White/Black	1 Pair	1 Pair



Canvas Shoes

Code	Description	Size	Color	UOM	Package
CNVS0002	Canvas Shoes #8712	33-45	White/Black/Blue	1 Pair	1 Pair

Canvas Shoes

Code	Description	Size	Color	UOM	Package
CNVS0004	Canvas Shoes #8713	33-45	White/Black/Blue	1 Pair	1 Pair

Safety Cap Overshoes



Safety Cap Overshoes

CE , ASTM , CSA

- Extra light Aluminium/Titanium toe cap (200 J resistance)
- Flexible and comfortable
- Oil resistant
- Velcro, fully adjustable to fit your foot
- Colour coded cap to identify the size as below
- Green XL (44-50), Red M (39-43) and Blue S (34-38)
- Suitable for high-heeled shoes
- Easy cleaning
- Used for guest factory visits


Code	Description	Color	UOM	Package
Overshoes-S	Visitor Overshoes (S 34-38):	Black-Blue	1 Pair	1 Pair
Overshoes-M	Visitor Overshoes (M 39-43):	Black-Red	1 Pair	1 Pair
Overshoes-XL	Visitor Overshoes (XL 44-50):	Black-Green	1 Pair	1 Pair




1. Choose size (S,M,L) to fit your feet



2. Pull Velcro strap to back of foot



3. Adjust Velcro strap to fit



4. Secure Velcro strap

Foot Protection

Cushion Sock & Shoe Care Products

Specification

- Made of light weight and impact resistant Micro Cellular Urethane
- Durable, reduces impact on feet and ankles
- The arch will relax muscles and tendons
- Ventilation holes
- Standard design, able to use with all types of shoes



New technology designs the footbed for wearer comfort. The arch will support the impact force and let the muscle and tendon relax. Moreover, it helps support foot bones and reduce the risk of joint and backbone injuries.



Footbed (Man)

Code	Description	Size	Color	UOM	Package
CLNS0010	Footbed PU +	S, M, L, XL	Beige	1 Pair	1 Pair



Footbed (Lady)

Code	Description	Size	Color	UOM	Package
CLNS0011	Footbed PU +	S, M, L	Beige	1 Pair	1 Pair


Shoe Covers



- Good quality plastic, Blue
- Cover shoes to avoid dust
- Suitable for electronics manufacturing and cleanrooms etc.

Code	Description	Color	UOM	Package
SDRY0007	Shoe Covers +	Beige	50 pairs/pack	50 pairs/pack

High heels allows talon to carry double weight



Most people walk 7,000 steps per day on various surfaces.

With 73 kg weight, we will carry 600 tons per day

Sport science proves that one leg and foot injury is "the impact force of walking"

Nubuck Cleanser

- Clean Nuback or Suede leather



Code	Description	UOM	Package
CLNS0019ZZZ	Nubuck cleaner foam :	1 bottle	1 bottle

Leather Cleanser

- Clean smooth leather



Code	Description	UOM	Package
CLNS0020ZZZ	Leather cleanser :	1 bottle	1 bottle

Cream Dubbin

- Clean, maintain and aid waterproofing of vegetable tanned leather



Code	Description	UOM	Package
CLNS0021ZZZ	Dubbin cream :	1 pack	1 pack

Mink Oil

- Clean and maintain oil leather.



Code	Description	UOM	Package
CLNS0022ZZZ	Mink Oil :	1 pack	1 pack

Maintenance

For the best shoe selection, the most important thing is fit to ensure maximum comfort. However, to lengthen the shoes lifetime it is imperative they are maintained correctly, as follows



1 Remove dirt or stains or water with a soft brush.



2 Use the correct cleaning cream to maintain the leather. (Choose the right cream to leather type)



3 Put rolled up newspaper into shoes to help absorb odours.